

道路と効用を兼ねる主要な他の工作物の概要

道路一体建物の概要

協定利便施設の概要

軌道その他主要な占用物件の概要

その他特記すべき事項

調整(改訂)の年月日

実 延 長 調 書

区 間	幅 員				延 長					逡 加 延 長	路面の 種 類	備 考
	車道 m	歩道 m	分離帯 m	路肩 m	道路 m	トンネル m	橋 m	渡船施設 m	計 m			
22.010 ～ 22.275	10.0	5.0	0	1.0	245.5	0	カ所 19.5	カ所 0	265	265	AS	田原大橋
22.275 ～ 22.580	6.5	1.5	0	1.0	305.00	0	0	0	305	570	AS	
22.580 ～ 22.674	6.5	2.5	0	1.0 ～5.0	94.00	0	0	0	94	664	AS	
22.674 ～ 22.840	6.5	2.0 ～2.8	0	1.0	166.00	0	0	0	166	830	AS	
22.840 ～ 22.890	6.5	2.0 ～4.0	0	1.0 ～6.0	50.00	0	0	0	50	880	AS	
22.890 ～ 22.935	6.5	1.0 ～3.0	0	1.0	45.00	0	0	0	45	925	AS	
22.935 ～ 22.960	6.5	2.5	0	1.00 ～3.0	25.00	0	0	0	25	950	AS	
22.960 ～ 22.990	6.5	2.5	0	1.0 ～2.5	30.00	0	0	0	30	980	AS	
22.990 ～ 23.087	6.5	2.0 ～2.5	0	1.0	97.00	0	0	0	97	1,077	AS	
23.087 ～ 23.141	6.5	1.0 ～3.0	0	1.0	54.00	0	0	0	54	1,131	AS	
23.141 ～ 23.259	6.5 ～9.0	1.0 ～5.0	0	0 ～1.0	118.00	0	0	0	118	1,249	AS	バス停
23.259 ～ 23.289	6.5	2.0	0	1.0	30.00	0	0	0	30	1,279	AS	
23.289 ～ 23.310	6.5	2.0	0	1.0	21.00	0	0	0	21	1,300	AS	
23.310 ～ 23.444	6.5	1.5 ～2.0	0	1.0	134.00	0	0	0	134	1,434	AS	
23.444 ～ 23.533	6.5	1.5 ～3.0	0	1.0 ～3.5	89.00	0	0	0	89	1,523	AS	
23.533 ～ 23.620	6.5	3 ～5.0	0	1.0	87.00	0	0	0	87	1,610	AS	
23.620 ～ 23.700	6.5	0	0	1.5	80.00	0	0	0	80	1,690	AS	
23.700 ～ 23.752	6.5	0	0	1.5 ～4.0	52.00	0	0	0	52	1,742	AS	
23.752 ～ 23.870	6.5	0	0	1.0 ～4.08	118.00	0	0	0	118	1,860	AS	
23.870 ～ 23.940	6.5	0	0	1.5 ～7.0	70.00	0	0	0	70	1,930	AS	
23.940 ～ 23.984	6.5	0	0	1.5	44.00	0	0	0	44	1,974	AS	
23.984 ～ 24.061	6.5	0	0	1.5 ～8.5	77.00	0	0	0	77	2,051	AS	
					2,031.5	0	19.5	0	2,051			

実 延 長 調 書

区 間	幅 員				延 長					逡 加 延 長	路面の 種 類	備 考
	車道 m	歩道 m	分離帯 m	路肩 m	道路 m	トンネル m	橋 m	渡船施設 m	計 m			
24.061 ～ 24.260	6.5	0	0	1.5	199.00	0	0	0	199	2,250	AS	
24.260 ～ 24.345	6.5	0	0	1.0 ～2.5	57.00	0	28	0	85	2,335	AS	高山大橋
24.345 ～ 24.478	6.5	2.8	0	3.0	133.00	0	0	0	133	2,468	AS	
24.478 ～ 24.560	6.5	0	0	1.0 ～3.5	82.00	0	0	0	82	2,550	AS	
24.560 ～ 24.645	6.5	0	0	1.5	85.00	0	0	0	85	2,635	AS	
24.645 ～ 24.900	6.5	0	0	1.05	255.00	0	0	0	255	2,890	AS	
24.900 ～ 24.991	6.5	0	0	1.05	91.00	0	0	0	91	2,981	AS	
24.991 ～ 25.154	6.5	0	0	1.05	163.00	0	0	0	163	3,144	AS	
25.154 ～ 25.220	6.5	4.5 ～5.0	0	1.05 ～9.5	66.00	0	0	0	66	3,210	AS	
25.220 ～ 25.280	6.5	4.5 ～5.0	0	1.0	60.00	0	0	0	60	3,270	AS	
25.280 ～ 25.370	6.5	5.5 ～3.5	0	1.0	90.00	0	0	0	90	3,360	AS	
25.370 ～ 25.524	6.5	0	0	1.05	154.00	0	0	0	154	3,514	AS	
25.524 ～ 25.624	6.5	0	0	1.05	100.00	0	0	0	100	3,614	AS	
25.624 ～ 25.670	6.5	0	0	1.5	42.50	0	3.5	0	46	3,660	AS	無名橋
25.670 ～ 25.753	6.5	0	0	1.05	83.00	0	0	0	83	3,743	AS	
25.753 ～ 25.795	6.5	0	0	1.05 ～5.5	42.00	0	0	0	42	3,785	AS	
25.795 ～ 25.870	6.5	0	0	1.05	75.00	0	0	0	75	3,860	AS	
25.870 ～ 26.040	6.5	0	0	1.05 ～5.5	164.00	0	6	0	170	4,030	AS	無名橋
26.040 ～ 26.080	6.5	0	0	4.5 ～6.5	35.00	0	5	0	40	4,070	AS	無名橋
26.080 ～ 26.145	6.5	0	0	1.25 ～2.5	65.00	0	0	0	65	4,135	AS	
26.145 ～ 26.180	6.5	0	0	1.55	35.00	0	0	0	35	4,170	AS	
26.180 ～ 26.235	6.5	0	0	1.5	41.10	0	13.9	0	55	4,225	AS	無名橋 2橋
					2,117.6	0	56.4	0	2,174			

